



# Uniform Closing Dataset Quick Guide

## Casefile Identifier Scenarios

*Updated April 2024*

### Document purpose

Fannie Mae requires the use of a Casefile Identifier (ID) upon loan delivery. The Casefile ID used in the delivery file is generated in either Desktop Underwriter® (DU®) or is generated by the Uniform Closing Dataset (UCD) Collection Solution when no DU Casefile ID is provided in the UCD submission. This guide will lead you through various Casefile ID scenarios in both the UCD Collection Solution and Loan Delivery systems.

Fannie Mae will require the DU-generated Casefile ID in the UCD XML file for any DU underwritten loan that is being delivered as a DU loan. If no DU Casefile ID is present, the UCD Collection Solution will generate a Casefile ID to use for Loan Delivery.

For resubmissions to the UCD Collection Solution, we recommend using the DU Casefile ID used in the original UCD submission. If there is no DU-generated Casefile ID upon resubmission, we recommend including the prior UCD-generated Casefile ID to keep the UCD Collection Solution from assigning an additional Casefile ID.

The following are the data points supporting the Casefile ID in **UCD**:

- Unique ID 0.042 – AutomatedUnderwritingCaseIdentifier
- Unique ID 0.039 – AutomatedUnderwritingSystemType
- Unique ID 0.040 – AutomatedUnderwritingSystemTypeOtherDescription

The following are the data points that support the Casefile ID in the **Uniform Loan Delivery Dataset (ULDD)**:

- ULDD Sort ID 322 - AutomatedUnderwritingCaseIdentifier
- ULDD Sort ID 326 - AutomatedUnderwritingSystemType
- ULDD Sort ID 327 – AutomatedUnderwritingSystemTypeOtherDescription

### Matching logic between DU and UCD

For loans underwritten by DU, the Casefile ID, borrower last name, and subject property ZIP code must match both the DU and UCD files. If the file is submitted to UCD with an AutomatedUnderwritingSystemType set to “DesktopUnderwriter” and the information above does not match, the UCD submission will be invalid, and the file upload status will be determined “Not Successful.”



## Table of Contents

Select one of the links below to be directed to a specific Casefile ID scenario.

### Contents

Document purpose .....	1
Matching logic between DU and UCD .....	1
Table of Contents .....	2
Scenario 1: Loan was underwritten by DU.....	3
Scenario 2: The Loan has multiple Casefile IDs in the UCD file .....	4
Scenario 3: Loan was underwritten by DU; DU Casefile ID not in UCD file.....	5
Scenario 4: Government loans.....	6
Scenario 5: Loan was underwritten by another AUS (not DU) .....	7
Scenario 6: Loan was manually underwritten .....	8
Scenario 7: Loan was initially submitted to DU but was ultimately delivered as a manually underwritten loan .....	8
Scenario 9: Loan was initially submitted as an LP loan, but ultimately submitted and delivered as a DU loan .....	10
Scenario 10: Loan was initially manually underwritten, but ultimately submitted and delivered as a DU loan.....	11
Scenario 11: DU automated underwriting did not initially receive an Approve/Eligible recommendation .....	12



## Scenario 1: Loan was underwritten by DU

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
<b>Loan was underwritten by Desktop Underwriter.</b>	<p>Include the DU Casefile ID in both the UCD file and the ULDD file.</p> <p><b>Note:</b> If the loan initially originated by Desktop Originator® (DO®) is given a preliminary finding, the loan must be transferred to DU prior to submitting the UCD file with the valid DU Casefile ID. If the loan does not pass in DU, the DU Casefile ID will be invalid in UCD.</p>

### All UCD submissions:

**When making submissions to the UCD Collection Solution for DU loans, the DU Casefile ID must be included in the UCD XML file. The XML file should include this section:**

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```

### Loan Delivery (ULDD) file:

**When delivering the file to Fannie Mae, the DU Casefile ID used in the UCD file must be included in the ULDD XML file. The XML file should include this section:**

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingRecommendationDescription>ApproveEligible</AutomatedUnderwritingRecommendationDescription>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```



## Scenario 2: The Loan has multiple Casefile IDs in the UCD file

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
Loan has both a DU and Loan Prospector® (LP®) issued Casefile ID in the UCD file. The loan is being delivered to Fannie Mae as a DU loan.	The UCD upload file may contain both the DU and the LP issued CasefileIDs and Fannie Mae will ignore the LP Casefile ID when processing the file. The ULDD file must contain only the DU Casefile ID.

### **All UCD submissions:**

When making submissions to the UCD Collection Solution for DU loans, the DU Casefile ID must be included in the UCD XML file. The XML file should include this section:

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>LP Casefile ID goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingSystemType>LoanProspector</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### **Loan Delivery (ULDD) file:**

When delivering the file to Fannie Mae, ONLY the DU Casefile ID used in the UCD file must be included in the ULDD XML file. The XML file should include this section:

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>DU Casefile goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingRecommendationDescription>ApproveEligible</AutomatedUnderwritingRecommendationDescription>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```



## Scenario 3: Loan was underwritten by DU; DU Casefile ID not in UCD file

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
<p><b>Loan was underwritten by DU, but the DU Casefile ID was not included in the UCD file. The loan is intended to be delivered to Fannie Mae as a DU loan.</b></p>	<p>Because no DU Casefile ID was included in the file, the UCD Collection Solution generated a Casefile ID in its place. If the loan is intended to be submitted to Fannie Mae as a DU loan, the user must resubmit the UCD XML file containing the DU Casefile ID. This will allow for the proper linking to DU and to ensure no Casefile ID edits fire when the loan is delivered to Fannie Mae.</p>

### **Initial UCD submission:**

The loan was submitted to the UCD Collection Solution without any Automated Underwriting System. The UCD Collection Solution generated a Casefile ID in its place. The XML file included this section:

```
<UNDERWRITING>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```

### **Corrected UCD resubmission (must be corrected prior to delivery):**

As the loan is intended to be delivered as a DU underwritten loan, the DU Casefile ID must be included in the UCD XML file. The XML file should include this section:

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```

### **Loan Delivery (ULDD) file:**

When delivering the file to Fannie Mae, the DU Casefile ID used in the UCD file must be included in the ULDD XML file. The XML file should include this section:

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingRecommendationDescription>ApproveEligible</AutomatedUnderwritingRecommendationDescription>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```



## Scenario 4: Government loans

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
The loan is a Government loan (FHA/VA/USDA). The UCD Collection Solution does not accept Government loans that have a DU Casefile ID in the file. There is no GSE requirement to send Government loans through the UCD system, but you are allowed to run the loans through the UCD Collection System to view findings by removing the DU Casefile ID from the UCD XML file.	N/A
<p><b><u>Government DU Submission:</u></b></p> <p><b>The UCD XML file should have only the following information in the UNDERWRITING container to allow a Government Loan to successfully run through the UCD Collection Solution. Do not include a DU Casefile ID in the UCD submission even if it exists. The UCD Collection Solution will generate a Casefile ID if run successfully.</b></p> <pre data-bbox="121 863 933 999">&lt;UNDERWRITING&gt;   &lt;UNDERWRITING_DETAIL&gt;     &lt;LoanManualUnderwritingIndicator&gt;true&lt;/LoanManualUnderwritingIndicator&gt;   &lt;/UNDERWRITING_DETAIL&gt; &lt;/UNDERWRITING&gt;</pre>	



## Scenario 5: Loan was underwritten by another AUS (not DU)

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
<p>Loan was underwritten by another Automated Underwriting System (AUS).</p> <p>A new Casefile ID will be generated by the UCD Collection Solution upon submission of the UCD file to Fannie Mae.</p> <p>Should you need to resubmit the file to the UCD Collection Solution, it is recommended that you include the Casefile ID generated by the previous submission, so the UCD Collection Solution does not generate additional Casefile IDs.</p>	N/A

### **Initial UCD Submission:**

The UCD XML file should contain the following AUS information, although it will still process if the AUS information is missing. The UCD Collection Solution will generate a Casefile ID if the UCD XML file uploads successfully.

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>Casefile ID from AUS used</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>AUS System</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```

### **UCD Resubmission(s):**

Should a resubmission be necessary, in addition to the container with the AUS information, a second container should be included to tie the resubmission to the initial UCD submission. Failure to add this container will cause every UCD Collection Solution resubmission to generate an additional Casefile ID

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>Casefile ID from AUS used</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>AUS System</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>Casefile ID generated by previous UCD submission</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>Other</AutomatedUnderwritingSystemType>
      <AutomatedUnderwritingSystemTypeOtherDescription>UCD</AutomatedUnderwritingSystemTypeOtherDescription>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```



## Scenario 6: Loan was manually underwritten

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
Loan was manually underwritten (never entered into an AUS)	<p>A new Casefile ID will be generated by the UCD Collection Solution upon submission of the UCD file to Fannie Mae. This UCD-generated Casefile ID must be included in the ULDD file.</p> <p>Should you need to resubmit the file to the UCD Collection Solution, it is recommended that you include the Casefile ID generated by the previous submission, so the UCD Collection Solution does not generate additional Casefile IDs.</p>

### **Initial UCD Submission:**

The only information needed in the UCD file is shown in the section below. The UCD Collection Solution will generate a Casefile ID.

```

<UNDERWRITING>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### **UCD Resubmission file:**

Should a resubmission be necessary, a container should be included to tie the resubmission to the initial UCD submission. Failure to add this container will cause every UCD Collection Solution resubmission to generate an additional Casefile ID.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>Casefile ID generated by previous UCD submission</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingSystemType>Other</AutomatedUnderwritingSystemType>
      <AutomatedUnderwritingSystemTypeOtherDescription>UCD</AutomatedUnderwritingSystemTypeOtherDescription>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### **ULDD file:**

The UCD-generated Casefile ID must be included in the ULDD file:

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>Casefile ID generated by previous UCD submission</AutomatedUnderwritingCaseIdentifier>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

## Scenario 7: Loan was initially submitted to DU but was ultimately delivered as a manually underwritten loan

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
--------------------------	-------------------------------





<p>Loan was initially submitted to DU (and has a DU Casefile ID), but is being ultimately delivered as a manually underwritten loan.</p>	<p>The loan was initially run through DU and submitted to the UCD Collection Solution with the DU Casefile ID. It was later manually underwritten.</p> <p>The loan would need to be resubmitted to the UCD Collection Solution without the DU Casefile ID. The UCD Collection Solution will generate a Casefile ID.</p> <p>This UCD-generated Casefile ID must be included in the ULDD file..</p>
--	---

**Initial UCD Submission:**

See the original DU Casefile ID submission:

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

**UCD Resubmission file(s):**

The only information needed in the UCD resubmission file is the following. The UCD Collection Solution will generate a Casefile ID.

```

<UNDERWRITING>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

Should another resubmission be necessary, a container should be included to tie the resubmission to the initial UCD submission. Failure to add this container will cause every UCD Collection Solution resubmission to generate an additional Casefile ID.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>Casefile ID generated by previous UCD submission</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingSystemType>Other</AutomatedUnderwritingSystemType>
      <AutomatedUnderwritingSystemTypeOtherDescription>UCD</AutomatedUnderwritingSystemTypeOtherDescription>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

**ULDD file:**

The UCD-generated Casefile ID must be included in the ULDD file:



```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>Casefile ID generated by previous UCD submission</AutomatedUnderwritingCaselIdentifier>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

## Scenario 9: Loan was initially submitted as an LP loan, but ultimately submitted and delivered as a DU loan

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
Loan was originally underwritten by LP or other Automated Underwriting System (AUS) and submitted to UCD with that AUS, but then underwritten and delivered as a DU Loan.	<p>A new Casefile ID was generated by the UCD Collection Solution with the initial submission of the UCD file to Fannie Mae.</p> <p>After being underwritten by DU, all resubmissions to UCD and the ULDD submission should include the DU Casefile ID.</p>

### **Initial UCD Submission:**

The UCD XML file contains the following AUS information. The UCD Collection Solution will generate a Casefile ID if the UCD XML file uploads successfully.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>Casefile ID from AUS used</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>AUS System</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### **UCD Resubmission file(s):**

All resubmitted UCD XML files should contain the DU Casefile ID.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```



**ULDD file:**

When delivering the file to Fannie Mae, the DU Casefile ID used in the UCD file must be included in the ULDD XML file.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>DU Casefile goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingRecommendationDescription>ApproveEligible</AutomatedUnderwritingRecommendationDescription>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### Scenario 10: Loan was initially manually underwritten, but ultimately submitted and delivered as a DU loan

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
Loan was originally manually underwritten, but then underwritten and delivered as a DU Loan.	<p>A new Casefile ID was generated by the UCD Collection Solution with the initial submission of the UCD file to Fannie Mae.</p> <p>After being underwritten by DU, all resubmissions to UCD and the ULDD submission should include the DU Casefile ID.</p>

**Initial UCD Submission:**

The only information in the UCD file is the following. The UCD Collection Solution will generate a Casefile ID.

```

<UNDERWRITING>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>true</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

**UCD Resubmission file(s):**

All resubmitted UCD XML files should contain the DU Casefile ID.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

**ULDD file:**

When delivering the file to Fannie Mae, the DU Casefile ID used in the UCD file must be included in the ULDD XML file. The XML file should include this section:



```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingRecommendationDescription>ApproveEligible</AutomatedUnderwritingRecommendationDescription>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

## Scenario 11: DU automated underwriting did not initially receive an Approve/Eligible recommendation

UCD Casefile ID Scenario	Fannie Mae Delivery Procedure
<p>Loan was submitted to DU but did not initially receive an Approve/Eligible recommendation. The UCD file was uploaded with the DU Casefile ID and received a Not Successful UCD status. The loan was subsequently resubmitted to DU and received an Approve/Eligible recommendation and will be delivered as a DU loan.</p>	<p>The loan was initially underwritten by DU but did not receive an Approve/Eligible recommendation. If the loan is then submitted to the UCD Collection Solution with the DU Casefile ID in the file, the submission will be "Not Successful."</p> <p>Once the loan is approved by DU, the UCD XML file should be resubmitted to UCD with the DU Casefile ID.</p>

### **Initial UCD Submission:**

If the DU Casefile ID in the UCD XML file does not have an Approve/Eligible recommendation in DU, the file will fail in UCD.

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### **UCD Resubmission file(s):**

If the loan was subsequently resubmitted to DU and received an Approve/Eligible recommendation, the loan should be resubmitted to the UCD Collection Solution with the DU Casefile ID included in the UCD XML file:

```

<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaselIdentifier>DU Casefile ID goes here</AutomatedUnderwritingCaselIdentifier>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>

```

### **Loan Delivery (ULDD) file:**



When delivering the file to Fannie Mae, the DU Casefile ID used in the UCD file must be included in the ULDD XML file. The XML file should include this section:

```
<UNDERWRITING>
  <AUTOMATED_UNDERWRITINGS>
    <AUTOMATED_UNDERWRITING>
      <AutomatedUnderwritingCaseIdentifier>DU Casefile goes here</AutomatedUnderwritingCaseIdentifier>
      <AutomatedUnderwritingRecommendationDescription>ApproveEligible</AutomatedUnderwritingRecommendationDescription>
      <AutomatedUnderwritingSystemType>DesktopUnderwriter</AutomatedUnderwritingSystemType>
    </AUTOMATED_UNDERWRITING>
  </AUTOMATED_UNDERWRITINGS>
  <UNDERWRITING_DETAIL>
    <LoanManualUnderwritingIndicator>>false</LoanManualUnderwritingIndicator>
  </UNDERWRITING_DETAIL>
</UNDERWRITING>
```